æ\		CENTRAL I	ONFIDENTIA INTELLIGENO	AL/US OFFICIALS	ONLY / SECUR	ITY INFO	50X1-HUM
				REPORT	REPORT		
	·		411011	NEFORT	CD NO.		
COUNT	RY Hungary				DATE DISTR.	26 Nov	1951
SUBJEC	Nitro Chemical	Institute (	ugané n <b>bityo</b>	<b>3)</b> -	NO. OF PAGES	2	
PLACE ACQUIR	ED		*··		NO. OF ENCLS	j l	
DATE ACQUIF	RED				SUPPLEMENT REPORT NO.	ΤΟ̈́	50X1-HUM
DATE (	OF						· ·
	IENT CONTAINS IMPORMATION AFFECTIMITED STATES WITHIN THE MEANING OF AND 32. AS AMENDED. ITS TRANSMISTERST OF AMENDED AND ASSETTION OF THIS FORMAL LAW. REPRODUCTION OF THIS FORM			THIS IS UN	EVALUATED INFO	RMATION	50X1-HUM
	The Witten Chemian						
1.	The Nitro Chemica plant in Hungary. were produced. I of copper sulfide	n 1948 the p	es suitable lant was in	e for shotgun a noperative save	shells to artil	lery she product	lls ion
2.	priest in hungary. were produced. I of copper sulfide  Power plant facil the surface. Nit power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and tw ground pipes from brought from Varpe	rowder type n 1948 the pi ities are loc ro Chemical I l is bored ho ters vertical turbine room capacity. To thousand ho Lake Balaton alota via raj	cated under Institute in Drizontally Lly, and is urbines are Drsepower in 1, approxim	rground, approxis situated on y into the side are three steamers in the side are three steamers thousand respectively.	shells to artille for a limited simutely 26 meters the side of a language of the tunnel language of the turbin horsepower, the water is supplemented turbin water distance.	product ers bene- nill, an- nas a cl- gth befor- nes of li- ree thouse ied via to	ion  ath d the earance re l thousand sand under-
	prisht in hungary. were produced. I of copper sulfide  Power plant facil the surface. Nits power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and two ground pipes from brought from Varpe carry coal from the	ities are locaters vertical turbine room capacity. To thousand he Lake Balator alots via raine main radia	cated under Institute in Drizontally Lly, and is an There as Drisepower in approximation are in, approximation are siding thr	rground, approxis situated on y into the side seight hundred are three steamers in thousand respectively.	cimately 26 meters and incident the side of a language of the tunnel language of t	ers beneated the product ers beneated the product ers a clay the product ers of lives thousand the coal is dump of and turbing the product ers and turbing ers of the product ers of the	ion  ath d the earance re l thousand sand under-
2.	priest in hungary. were produced. I of copper sulfide  Power plant facil the surface. Nit power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and tw ground pipes from brought from Varpe	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. The thousand he Lake Balator alots via rai he main rails piped in fre underground on. Accommod ove ground ar	cated under Institute i Drizontally Lly, and is a. There surbines are presepower r a, approxim il for use siding thr om well sou bunkers s ation is s e construc	rground, approving situated on y into the side are three steamers in the side are three steamers in the side as boiler fuel to the side are three sides as boiler fuel to the side as the	shells to artille for a limited simutely 26 meters the side of a limited to the	ers beneated the product the p	lls ion  ath d the earance re l thousand sand under- is ars ine room.
2. 3. 4.	Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpe carry coal from the Drinking water is There are about 35 air raid protection All structures about	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. To thousand he Lake Balator alots via rai he main rails piped in fro underground on. Accommod ove ground ar erty is cyclo	cated under Institute i Drizontally Lly, and is a. There s proposer in approxim il for use siding the m well sou bunkers s ation is s e construct ne type, t	rground, approving situated on y into the side seight hundred are three steamers in thousand respectively. The steamers in and are the side as boiler fuel south at the side as wo meters in here we meters in here.	shells to artille for a limited sinately 26 meters the side of a limited to the side of a limited to the side of a limited to supplie the side of the boiler a cound Fuzfogyart ghout the plant about six thous and are one storeight.	ers beneated the product the p	lls ion  ath d the earance re l thousand sand under- is ars ine room.
2. 3. 4.	Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpa carry coal from the Drinking water is There are about 35 air raid protection All structures about and proper	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. To thousand he Lake Balator alots via rai he main rails piped in fro underground on Accommod ove ground ar erty is cyclo s for eight h	cated under Institute is Drizontally Lly, and is a. There are Drizontally Lly, and is a. There are Drizontally Lly, and is a. There are Drizontally Lly, and is arbines are Dr	rground, approris situated on y into the side seight hundred are three steamers in thousand respectively. The state of the seight hundred as boiler fuel to the seight hundred as boiler fuel to the seight hundred in hundr	shells to artille for a limited sinately 26 meters the side of a limited to the side of a limited to the side of a limited to supplie the side of the boiler a cound Fuzfogyart ghout the plant about six thous and are one storeight.	ers beneated the product the p	lls ion  ath d the earance re l thousand sand inder- is ars ire room.
2. 3. 4.	were produced. I of copper sulfide Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and two ground pipes from brought from Varpe carry coal from the Drinking water is There are about 3 air raid protection All structures about fence around proper Housing facilities	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. To thousand he Lake Balator alots via rai he main rails piped in fro underground on Accommod ove ground ar erty is cyclo s for eight h	cated under Institute is Drizontally Lly, and is a. There are Drizontally Lly, and is a. There are Drizontally Lly, and is a. There are Drizontally Lly, and is arbines are Dr	rground, approris situated on y into the side seight hundred are three steamers in thousand respectively. The state of the seight hundred as boiler fuel to the seight hundred as boiler fuel to the seight hundred in hundr	shells to artille for a limited sinately 26 meters the side of a limited to the side of a limited to the side of a limited to supplie the side of the boiler a cound Fuzfogyart ghout the plant about six thous and are one storeight.	ers beneated the product the p	lls ion  ath d the earance re l thousand sand under- is ars ine room.
2. 3. 4.	were produced. I of copper sulfide  Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpicarry coal from the Drinking water is  There are about 35 air raid protectic All structures abofence around proper Housing facilities  Attached as Enclofollowing facilities  #1 Plant #1a Emerge #2 Plant #3 Tool as	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. The thousand he Lake Balator alots via rai he main radia piped in fre underground on. Accommod ove ground ar erty is cyclo s for eight h  best at Nitro (  dispensary - ncy ward with laboratory nd spare pari	cated under Institute is Drizontally Lly, and is a. There surbines are preserver in approximately in the source of the second of	rground, approving situated on y into the side of seight hundred are three steam esix thousand respectively. The side of the s	shells to artille for a limited sinately 26 meters the side of a limited the side of a limited to the side of a limited	ers beneated the product the p	lls ion  ath d the earance re l thousand sand under- is ars ine room.
2. 4.	were produced. I of copper sulfide  Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpicarry coal from the Drinking water is  There are about 35 air raid protectic All structures abofence around proper Housing facilities  Attached as Enclofollowing facilities  #1 Plant #1a Emerge #2 Plant #3 Tool as	ities are loc ro Chemical I l is bored he ters vertical turbine room capacity. The thousand he Lake Balator alots via rai he main radia piped in fre underground on. Accommod ove ground ar erty is cyclo s for eight h  best at Nitro (  dispensary - ncy ward with laboratory nd spare pari	cated under Institute is Drizontally Lly, and is a. There surbines are preserver in approximately in the source of the second of	rground, approving situated on y into the side are three steam e six thousand respectively. The side as boiler fuel to the side as boiler fuel to the side are three six thousand respectively. The side as boiler fuel to the side as boiler	shells to artille for a limited sinately 26 meters the side of a limited the side of a limited to the side of a limited	ers beneated the product the p	lls ion  ath d the earance re l thousand sand under- is ars ine room.  50X1-HUM the
2. 4.	were produced. I of copper sulfide  Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpicarry coal from the Drinking water is  There are about 35 air raid protectic All structures abofence around proper Housing facilities  Attached as Enclofollowing facilities  Attached as Enclofollowing facilities  #1 Plant #1a Emerge #2 Plant #3 Tool as #4 Work st	ities are look or Chemical I is bored hoters vertical turbine room capacity. The thousand he Lake Balaton alots via raine main radia piped in from underground and Accommod ove ground are ty is cyclo for eight hosure (A) is es at Nitro (dispensary ney ward with laboratory and spare parthops - electrons in the property of the spare parthops - ele	cated under Institute is Drizontally Lly, and is a. There surbines are presepower in approximate the momentum well sout bunkers successful the surbines are corsepower in approximate the momentum well sout bunkers successful action is succes	rground, approving situated on y into the side are three steam as six thousand respectively. The side are three steam as boiler fuel rough alternation and are scattered through the six thousand are scattered through the six thousand are scattered through the six three six and are scattered through the six and are scattered through the six and are availant the six and the six	shells to artille for a limited sinately 26 meters the side of a limited the side of a limited to the side of a limited	lery she product ers beneath the formula and the formula and turbinele and peoply. Wire	lls ion  ath d the earance re l thousand sand under- is ars ine room.  50X1-HUM the
2. 3. 4.	were produced. I of copper sulfide  Power plant facil the surface. Nitt power plant tunne of about 4-1/2 me emerging into the horsepower total horsepower and twe ground pipes from brought from Varpicarry coal from the Drinking water is  There are about 35 air raid protectic All structures abofence around proper Housing facilities  Attached as Enclofollowing facilities  Point  #1 Plant #1a Emerge #2 Plant #1a Fool a: #4 Work si	ities are look or Chemical I is bored hoters vertical turbine room capacity. The thousand he Lake Balaton alots via raine main radia piped in from underground and Accommod ove ground are ty is cyclo for eight hosure (A) is es at Nitro (dispensary ney ward with laboratory and spare parthops - electrons in the property of the spare parthops - ele	cated under Institute is Drizontally Lly, and is a. There surbines are presepower in approximate the momentum well sout bunkers successful the surbines are corsepower in approximate the momentum well sout bunkers successful action is succes	rground, approving a situated on y into the side of seight hundred are three steam as souther fuel to the side of brick a swo meters in and are the are altered through the side of brick a swo meters in hundred are availant and a scattered through the swo meters in hundred are availant and a scattered through the swo meters in hundred are availant and a scattered through the swo meters in hundred are availant and a scattered through the swo meters in hundred are availant and the swo meters in hundred are availant and the swo meters in hundred as a scattered through the	shells to artille for a limited sinately 26 meters the side of a limited the side of a limited to the side of a limited	lery she product ers beneath the formula and the formula and turbinele and peoply. Wire	lls ion  ath d the earance re l thousand sand under- is ars ine room.  50X1-HUN the

. 2

## CONFIDENTIAL/US OFFICIALS ONLY/SECURITY INFORMATION

**-2**-

#6 #7 #8	Gun powder manufacturing houses Nitroglycerine and diglycol [sic] production Electrical transformer Paper factory Gun cotton production
11,00000	mm production
#10	and novder storage
#11 #12	Pyrotechnic production  Pentaeritrit /sic/ production - built 1938  Reserve electric power plant - approximately three thousand horsepower  Reserve electric power plant - power plant
#13	pentaericity power plant - approximately three thousand
#14	Reserve electric power plant Tunnel entrance to underground power plant
#15	Tunnet entrained
#16	Steam chimney Condenser for steam turbine
#17	Condenser for Steam out of
#18	Powder test station
#19	Freight Station
#20	Standard gauge track
#21	Standard gauge track Tunnel and underground power plant

-end-

ENCLOSURE (A): A sketch of Nitro Chemical Institute at Fuzfogyartelep.

CONFIDENTIAL/US OFFICIALS ONLY/SECURITY INFORMATION

7.5%